	Application No.	Applicant(s)
Notice of Allowability	10/623,137	WILMER ET AL.
	Examiner	Art Unit
	Tony G. Soohoo	1797
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the interveiw on 02 OCT 2007 and response of 10/26/2007.		
2. The allowed claim(s) is/are <u>1-12,16-19,23,24 and 26-30</u> .		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> <li>2.  Certified copies of the priority documents have been received in Application No</li> <li>3.  Copies of the certified copies of the priority documents have been received in this national stage application from the</li> </ul>		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date attached.		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	E MARIA AFILE	ntant Analisation
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Dotice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	<ul><li>5. ☐ Notice of Informal Pa</li><li>6. ☐ Interview Summary</li></ul>	
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Date 7. ⊠ Examiner's Amendm	ė
Paper No./Mail Date		
<ol> <li>Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ol>	<ul><li>8.</li></ul>	nt of Reasons for Allowance
		Tony G Soohoo Primary Examiner Art Unit: 1797

Continuation of Attachment(s) 9. Other: Attached approved drawing change fig 14.

Application/Control Number: 10/623,137 Page 2

Art Unit: 1797

## Drawings

The drawings were received on 26 OCT 2007 of replacement sheet figure 14.
 These drawings are APPROVED.

- 2. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because: 1) in especially figure 14 the lines are not of sufficient thickness to provide a clear line which is reproducible in a copy for publication; 2) hand written part at the top of figure 2 and figure 6 is unclear; 3) Figures 17 and 18 are unclear in line and data points. 4) In Figures 18 and 19, within the black legend label box, the text legend is unreadable.
- 3. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tony G. Soohoo whose telephone number is (571) 272 1147. The examiner can normally be reached on 8AM-5PM, Mon-Thurs.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David R. Sample can be reached on 571-272-1376. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Tony G Softhoo / Primary Examiner Art Unit 1797

Applicant: Jeffrey A. Wilmer et al. Filed on 10/26/07 Serial No. 10/623,137 Entitled: METHOD AND APPARATUS FOR BLENDING PROCESS MATERIALS REPLACEMENT SHEET APPROJEDO 1797 FIG. 14 2 TONY G. SOOHOO PRIMARY EXAMINER NV 12 18 10 16 20 PROCESS CONTROL

S-YSTEM